

Sampson Mills Ltd. P.O. Box 1147 New York, 10013 Phone: (718) 412-9040 Fax: (718) 412-9039 info@Sampsonmills.com www.Sampsonmills.com

# SPECIFICATION SAMPSON MILLS SYSTEM #PFB120 HAND OPERATED CUBICLE DRAPERY TRACK

#### Part 1 -General 1.01 SUMMARY

A. Work of this section includes hand operated window treatment hardware as manufactured by Sampson Mills Ltd.

#### 1.02 SUBMITTALS

A. Product data: Manufacturer's descriptive literature shall be submitted, indicating materials, finishes and installation instructions for each type of window treatment specified.

B. Shop drawings: Wiring diagrams for any electrical components and installation detail drawings shall be supplied as requested.

## 1.03 QUALITY ASSURANCE

A. Products shall be manufactured to meet or exceed all quality standards as stipulated in the Quality Control Manual, issued by Sampson Mills.

#### 1.04 DELIVERY, STORAGE AND HANDLING

- A. Product shall be delivered to the project site in manufacturer's original packaging.
- B. Product shall be handled and stored to prevent damage to materials, finishes and operating mechanisms.

### 1.05 WARRANTY

A. Manufacturer shall provide that #PFB120 system components are free of defects for **Five** years from the date of installation. Specific product warranty terms are available from Sampson Mills.

#### Part 2 -Product

#### 2.01 MANUFACTURER

A. Acceptable product: Window treatment system, #PFB120 HAND OPERATED DRAPERY TRACK as manufactured by: Sampson Mills Ltd. P.O. Box 1147 New York, 10013

#### 2 02 FOLLIDMENT

A. Medium to heavy duty hand recessed operated drapery track which shall accommodate pinch pleat or S-Fold drapery headings. (select drapery heading)

### 2.03 COMPONENTS

A. Track:

- 1. Shall be 6063-T5 clear anodized aluminum (optional: white powder coated finish), curvable on both inside and outside radii, to a minimum radius of 8".
- 2. Shall have exterior dimensions of .. 1" height X 0.567" width. See detailed dimension requirements below.



## B. Parts:

- 1. All Screws shall be made of polyamide 6.6, Delrin, stainless steel or galvanized steel.
- 2. System shall include SM suspension rods or wall brackets for mounting.
- 3. Shall be original Sampson Mills components.

## C. Drapery Heading Systems Options:

- 1. Standard Free-Flow Heading System
  - i. All parts shall be made of polyamide 6.6, Delrin, stainless steel or galvanized steel.
  - $ii.\ System\ shall\ include\ Manufacturers\ gliders.\ The\ system\ shall\ also\ include\ Hooks\ and\ Heading\ Tape.$
  - iii. Shall be original Sampson Mills components or others approved by Sampson Mills.

Sampson Mills Ltd. P.O. Box 1147 New York, 10013

Phone: (718) 412-9040 Fax: (718) 412-9039 info@Sampsonmills.com www.Sampsonmills.com



## 2. Drapery S-Heading System

- i. All parts shall be made of polyamide 6.6, Delrin, stainless steel or galvanized steel.
- ii. System shall include Manufacturers gliders. The system shall also include Hooks and Heading Tape.
- iii. Shall be original Sampson Mills components or others approved by Sampson Mills.

#### 3. Pinch Pleat Heading Systems:

- i. All parts shall be made of polyamide 6.6, Delrin, stainless steel or galvanized steel.
- ii. System shall include Manufacturers gliders.
- iii. Shall be original Sampson Mills components or others approved by Sampson Mills.

### 4. Grommet Heading Systems:

- i. All parts shall be made of polyamide 6.6, Delrin, stainless steel or galvanized steel, Aluminum.
- ii. System shall include Manufacturers gliders.
- iii. Shall be original Sampson Mills components or others approved by Sampson Mills.

## Part 3 -Execution 3.01 INSTALLATION

A. Install window treatment system in accordance with Sampson Mills specifications, standards and procedures. Installation contractor shall be responsible for site measurements and suitability of mounting surface.

B. Adequate clearance shall be provided to permit unencumbered operation of the entire system.

C. To prevent damage to the track, the Profile protector included with the track must be used during installation.

**Manufacturer:** Sampson Mills Ltd 718-412-9040

718-412-9040 info@sampsonmills.com PO Box 1147 New York NY 10150 technical counsel:

Joseph Bibi 718-412-9040; 415 Joseph@sampsonmills.com