Hand Operated Curtain Tracks

SilentGliss®

Hand Operated Curtain Track System

Silent Gliss® 6010 Hand Operated Curtain Track System



6010

Product Information

- Hand operated curtain track for light and medium weigth curtains in domestic and contract applications.
- Very elegant, bendable profile (Min. radius 7.09in.) with hidden fixing channel.
- Easy fixing with hidden clamp to all kind of ceilings.
- Standard colours: anodised aluminium or white powder coated.
- Standard length of the profiles are 236.2 in. . Systems can be planned to unlimited lengths due to a special connecting bridge.
- Large and attractive fabric offer.
- All regular curtain heading systems as well as Wave options apply with Silent Gliss 6010.

Profile and Bending Information



6010

Minimum radius 7.09 in.

System Options

Wave curtain heading system



The Wave is an exciting contemporary curtain heading system which allows curtains to hang in a continuous wave which is smooth, simple and elegant.



The Wave components are:

3582 Hook
6013 End stop
6345 Glider Cord 2.36 in.
6346 Glider Cord 3.15 in.
6349 Curtain tape
6363 Iron tape
6364 Extension
6365 Hanger
6366 Carrier for draw rod
10075 Lead weight 50 gr/m
10076 Fabric weight
2255 Brake Comb.

Fitting Information

Ceiling fixing with clamp 3825





3825
Clamp

Fix track with at least one clamp 3825 every 300-600mm.
Higher edge of profile to room side. The final distances depend on system height and width and the way of confectioning.

Standard Accessories

3825	Clamp		6010	Profile	
6018	Endcover		6065	Eye endstop	
6083	Glider				

Optional Accessories

3802	Connecting bridge		6057	Glider	
6096	Glider 6083 in strip form		6098	Roller	
6245	Spring		6283	Roller	

Sewing Accessories and Wave

2255	Brake comb.		3581	Hook	
3582	Hook		3582	Hook	
3598	Eyelet		3599	Hook	
6013	Endstop		6345	Glider cord (60mm)	
6346	Glider cord (80mm)		6349	Curtain tape	
6363	Iron tape		6364	Extension	
6365	Hanger		6366	Carrier for draw rod	
10075	Lead weight 50 gr/m		10076	Fabric weight	

Useful Measures

3802 Connecting bridge



6018 Endcover



6010

6010

www.SilentGlissAmerica.com

Silent Gliss Inc
United States Distribution
755 East 134th street
3rd Floor.
Bronx, NY 10454

Correspondence:
P.O. Box 592
New York, Ny 10150

Please call or email
with any questions or for technical catalogs:
info@SilentGlissAmerica.com
Tel: 718-412-9040

SGAUS_TB_HD_6010_20141106 /